

Clinica Chimica Acta, Vol. 162**Author index**

Afford, S.C., see Morrison, H.M. (162) 165
 Allen, K.G.D. and Arthur, J.R.
 Inhibition by 5-sulphosalicylic acid of the glutathione reductase recycling assay for glutathione analysis (162) 237
 Arthur, J.R., see Allen, K.G.D. (162) 237
 Balasubramanian, K.A., see Daniel, D.S. (162) 319
 Baudin, V. and Wajeman, H.
 Extended application of RP-HPLC for characterization of human hemoglobin variants (162) 75
 Bogavac, L., see Majkić-Singh, N. (162) 29
 Braganza, J.M., see Sandle, L.N. (162) 245
 Brodbeck, U., see Sorensen, K. (162) 101
 Brown, I., see Collins, W. (162) 207
 Buchet, J.-P., see Hotz, P. (162) 303
 Burnett, D., see Morrison, H.M. (162) 165
 Buttery, J.E., see Chappell, D.J. (162) 37
 Byrjalsen, I., see Ødum, L. (162) 189
 Cashmore, G.C., see Setchell, K.D.R. (162) 257
 Chappell, D.J., Buttery, J.E. and Pannall, P.R.
 Atypical LD isoenzymes with five diffuse bands and evidence for two types of binding (162) 37
 Claeys, L.R., see Delanghe, J.R. (162) 311
 Clifford, J.K., see Elder, P.A. (162) 199
 Collins, W., Brown, I. and Taylor, W.H.
 Interference in the measurement of red cell glycogen by glycogen from white cells (162) 207
 Corrie, J.E.T., see Gow, I.F. (162) 175
 Crouzat-Reynes, G., see Lecureuil, N. (162) 277
 Daniel, D.S., Ramakrishna, B.S. and Balasubramanian, K.A.
 Human erythrocyte γ -glutamyltransferase in liver diseases (162) 319
 De Buyzere, M.L., see Delanghe, J.R. (162) 311
 Delanghe, J.R., De Buyzere, M.L., De Scheerder, I.K., Claeys, L.R. and Wieme, R.J.
 Lectin-affinity chromatography of serum gamma-glutamyltransferase in liver disease (162) 311
 Delcroix, C., see Malmendier, C.L. (162) 221
 De Rooij, F.W.M., Hamer, C.M. and Wilson, J.H.P.
 Purification of porphobilinogen deaminase from human erythrocytes by fast protein liquid chromatography (162) 61
 De Scheerder, I.K., see Delanghe, J.R. (162) 311
 Edwards, C.R.W., see Gow, I.F. (162) 175
 Edwards, R.J. and Watts, D.C.
 Development of carboxypeptidase K (creatinine kinase conversion factor) in man (162) 69
 Elder, P.A., Yeo, K.H.J., Lewis, J.G. and Clifford, J.K.
 An enzyme-linked immunosorbent assay (ELISA) for plasma progesterone: immobilised antigen approach (162) 199
 Friedl, W., see Kaufmann, A. (162) 215
 Friis, T. and Pedersen, L.R.
 Serum lipids in hyper- and hypothyroidism before and after treatment (162) 155
 Furukata, C., see Huang, S.C. (162) 85
 Fyhrquist, F., see Grönhagen-Riska, C. (162) 53
 Glover, D.R., see Wathen, C.G. (162) 97
 Gow, I.F., Corrie, J.E.T., Williams, B.C. and Edwards, C.R.W.
 Development and validation of an improved radioimmunoassay for serotonin in platelet-rich plasma (162) 175
 Grönhagen-Riska, C., Tikkainen, I. and Fyhrquist, F.
 Competitive inhibitor binding assay (CIBA) of captopril and other ACE inhibitors (162) 53
 Gruemer, H.-D. and Prior, T.
 Carrier detection in Duchenne muscular dystrophy: a review of current issues and approaches (162) 1

Hamer, C.M., see De Rooij, F.W.M. (162) 61

Hansen-Nord, G., see Ødum, L. (162) 189

Hashida, S., Ishikawa, E., Kato, Y., Imura, H., Mohri, Z. and Murakami, Y.
Human growth hormone (hGH) in urine and its correlation to serum hGH examined by a highly sensitive sandwich enzyme immunoassay (162) 229

Hayashi, Y., see Huang, S.C. (162) 85

Heymans, H.S.A., see Wanders, R.J.A. (162) 295

Higashino, K., see Okochi, T. (162) 19

Hirano, K., see Huang, S.C. (162) 85

Hoet, P., see Hotz, P. (162) 303

Holthuis, N., see Steen, G. (162) 291

Hotz, P., Hoet, P., Lauwerys, R. and Buchet, J.-P.
Development of a method to monitor low molecular mass hydrocarbons in exhaled breath of man: preliminary evaluation of its interest for detecting a lipoperoxidation process in vivo (162) 303

Huang, S.C., Miki, K., Hirano, K., Hayashi, Y., Furuhata, C., Shimizu, A., Masao, , Ichinose, Oka, H., Matsushima, T. and Takahashi, K.
Enzyme-linked immunosorbent assay of serum pepsinogen I (162) 85

Ichinose, , see Huang, S.C. (162) 85

Imura, H., see Hashida, S. (162) 229

Inoue, Y., see Nishimura, K. (162) 341

Ishikawa, E., see Hashida, S. (162) 229

Ives, J.A., see Setchell, K.D.R. (162) 257

Jelić, Z., see Majkić-Singh, N. (162) 29

Kalimanovska, V., see Majkić-Singh, N. (162) 29

Kato, Y., see Hashida, S. (162) 229

Kaufmann, A., Uhlhaas, S., Friedl, W. and Proppig, P.
Human erythrocyte transketolase: no evidence for variants (162) 215

Kokubu, T., see Nishimura, K. (162) 341

Kramps, J.A., sce Morrison, H.M. (162) 165

Lauwerys, R., see Hotz, P. (162) 303

Lawson, A.M., see Setchell, K.D.R. (162) 257

Lecomte, P., see Lecureuil, N. (162) 277

Lecureuil, M., see Lecureuil, N. (162) 277

Lecureuil, N., Trochet, J., Crouzet-Reynes, G., Lecomte, P. and Lecureuil, M.
A method for measuring testosterone-estradiol-binding globulin — new analysis of experimental data and comparison with two commercially available kits (162) 277

Lewis, J.G., see Elder, P.A. (162) 199

Lontie, J.-F., see Malmendier, C.L. (162) 221

Mackay, I.G., see Wathen, C.G. (162) 97

Madec, Y., see Mainard, F. (162) 141

Mainard, F. and Madec, Y.
Are 'precipitated LDL' really low density lipoproteins? (162) 141

Majkić-Singh, N., Bogavac, L., Kalimanovska, V., Jelić, Z. and Spasić, S.
Spectrophotometric assay of xanthine oxidase with 2,2'-azino-di(3-ethylbenzthiazoline-6-sulphonate) (ABTS) as chromogen (162) 29

Malmendier, C.L., Delcroix, C. and Lontie, J.-F.
The effect of combined fenofibrate and cholestyramine therapy on low-density lipoprotein kinetics in familial hypercholesterolemia patients (162) 221

Mannes, G.A., Stellaard, F. and Paumgartner, G.
Diagnostic sensitivity of fasting and post-prandial serum bile acids determined by different methods (162) 147

Masao, , see Huang, S.C. (162) 85

Matsushima, T., see Huang, S.C. (162) 85

Miki, K., see Huang, S.C. (162) 85

Mohri, Z., see Hashida, S. (162) 229

Morrison, H.M., Kramps, J.A., Afford, S.C., Burnett, D. and Stockley, R.A.
The effect of assay conditions on the measurement of anti-elastase function in lung secretions (162) 165

Murakami, Y., see Hashida, S. (162) 229

Musil, J., see Racek, J. (162) 129

Nishimura, K., Inoue, Y. and Kokubu, T.
Radioimmunoassay of glandular kallikrein in human plasma after partial purification by immunoaffinity column (162) 341

Norgaard-Pedersen, B., see Sorensen, K. (162) 101

Ødum, L., Hansen-Nord, G. and Byrjalsen, I.
Human inter- α -trypsin inhibitor and immunologically related inhibitors investigated by quantitative immunoelectrophoresis. II. Pathological conditions (162) 189

Oka, H., see Huang, S.C. (162) 85

Okochi, T., Seike, H., Saeki, K., Sumikawa, K., Yamamoto, T. and Higashino, K.
A novel alkaline phosphatase isozyme in human adipose tissue (162) 19

Pannall, P.R., see Chappell, D.J. (162) 37

Paumgartner, G., see Mannes, G.A. (162) 147

Paumgartner, G., see Stellaard, F. (162) 45
 Pedersen, L.R., see Friis, T. (162) 155
 Prior, T., see Gruemer, H.-D. (162) 1
 Propping, P., see Kaufmann, A. (162) 215

Racek, J. and Musil, J.
 Biosensor for lactate determination in biological fluids. I. Construction and properties of the biosensor (162) 129

Ramakrishna, B.S., see Daniel, D.S. (162) 319
 Roulston, J.E., see Wathen, C.G. (162) 97

Saeki, K., see Okochi, T. (162) 19
 Sandle, L.N. and Braganza, J.M.
 An evaluation of the low-pH enzymatic assay of urinary D-glucaric acid, and its use as a marker of enzyme induction in exocrine pancreatic disease (162) 245

Schutgens, R.B.H., see Wanders, R.J.A. (162) 295

Seike, H., see Okochi, T. (162) 19
 Setchell, K.D.R., Ives, J.A., Cashmore, G.C. and Lawson, A.M.
 On the homogeneity of stools with respect to bile acid composition and normal day-to-day variations: a detailed qualitative and quantitative study using capillary column gas chromatography-mass spectrometry (162) 257

Shimizu, A., see Huang, S.C. (162) 85
 Smith, N.B.
 Identification and elimination of an ethylene glycol determination artifact (162) 105

Sorensen, K., Brodbeck, U. and Norgaard-Pedersen, B.
 Determination of neuron specific enolase in amniotic fluid and maternal serum for the prenatal diagnosis of fetal neural tube defects (162) 101

Spasić, S., see Majkić-Singh, N. (162) 29
 Steen, G. and Holthuis, N.
 The fat meal test of malabsorption: some further experience (162) 291

Stellaard, F. and Paumgartner, G.
 Quantitation of serum bile acids by isotope dilution with ^{13}C -labelled homologs (162) 45
 Stellaard, F., see Mannes, G.A. (162) 147
 Stockley, R.A., see Morrison, H.M. (162) 165
 Sumikawa, K., see Okochi, T. (162) 19

Takahashi, K., see Huang, S.C. (162) 85
 Taylor, W.H., see Collins, W. (162) 207
 Tikkanen, I., see Grönhagen-Riska, C. (162) 53
 Trochet, J., see Lecureuil, N. (162) 277

Uhlhaas, S., see Kaufmann, A. (162) 215

Wajcman, H., see Baudin, V. (162) 75
 Wanders, R.J.A., Schutgens, R.B.H. and Heymans, H.S.A.
 Deficient cholesterol side chain oxidation in patients without peroxisomes (Zellweger syndrome): evidence for the involvement of peroxisomes in bile acid synthesis in man (162) 295

Wathen, C.G., Mackay, I.G., Glover, D.R. and Roulston, J.E.
 Effect of the partial beta-agonist prenalterol on plasma renin activity in patients with left ventricular failure (162) 97

Watts, D.C., see Edwards, R.J. (162) 69
 Wieme, R.J., see Delanghe, J.R. (162) 311
 Wiggins, R.C.
 Uromucoid (Tamm-Horsfall glycoprotein) forms different polymeric arrangements on a filter surface under different physicochemical conditions (162) 329

Williams, B.C., see Gow, I.F. (162) 175
 Wilson, J.H.P., see De Rooij, F.W.M. (162) 61

Yamamoto, T., see Okochi, T. (162) 19
 Yeo, K.H.J., see Elder, P.A. (162) 199

Clinica Chimica Acta, Vol. 162

Subject index

ABTS

Xanthine oxidase; Spectrophotometric assay; Peroxidase; Evaluation; Reference value (Majkić-Singh, N. (162) 29)

ACE inhibitor

Assay; Captopril; Competitive inhibitor binding (Grönhagen-Riska, C. (162) 53)

N-Acetylation

Serotonin; Radioimmunoassay; HPLC (Gow, I.F. (162) 175)

Acid-stable proteinase inhibitor

Proteinase inhibitor; Inter- α -trypsin inhibitor; Urinary proteinase inhibitor; C-reactive protein (Ødum, L. (162) 189)

Adipose tissue

Alkaline phosphatase; Isozyme (Okochi, T. (162) 19)

Affinity chromatography

γ -Glutamyltransferase; Multiple form; Lectin; Liver disease (Delanghe, J.R. (162) 311)

Alcane

Lipoperoxidation; Expired air; Liver disease (Hotz, P. (162) 303)

Alkaline phosphatase

Adipose tissue; Isozyme (Okochi, T. (162) 19)

Anti-elastase function

Neutrophil elastase (Morrison, H.M. (162) 165)

Apolipoprotein A

High density lipoprotein-cholesterol hyperthyroidism; Hypothyroidism; Low density lipoprotein-cholesterol; Triglyceride (Friis, T. (162) 155)

Apoprotein B

Low density lipoprotein precipitation; Cholesterol; Phospholipids; Ultracentrifugation compared; Friedewald formula (Mainard, F. (162) 141)

Assay

ACE inhibitor; Captopril; Competitive inhibitor binding (Grönhagen-Riska, C. (162) 53)

Atypical LD isoenzyme

LD-IgG complex; Immune complex (Chappell, D.J. (162) 37)

Bile acid

Cholesterol side-chain oxidation; Peroxisomes; Peroxisomal disorder; Zellweger syndrome (Wanders, R.J.A. (162) 295)

Feces; Healthy subject; Gas chromatography; Mass spectrometry (Setchell, K.D.R. (162) 257)

Binding

Testosterone-estradiol-binding globulin; Solid-phase assay; Con A Sepharose; Scatchard plot; Dihydrotestosterone (Lecureuil, N. (162) 277)

Boronate

Ethylene glycol; Dimethoxypyropane artifact; Isopropylbenzene; Capillary gas chromatography (Smith, N.B. (162) 105)

Capillary gas chromatography

Ethylene glycol; Dimethoxypyropane artifact; Isopropylbenzene; Boronate (Smith, N.B. (162) 105)

Captopril

ACE inhibitor; Assay; Competitive inhibitor binding (Grönhagen-Riska, C. (162) 53)

Carboxypeptidase K

Creatine kinase; Creatine kinase conversion factor (Edwards, R.J. (162) 69)

Carrier detection

Duchenne muscular dystrophy; Review; Diagnostic test; Genetic (Gruemer, H.-D. (162) 1)

Cholesterol

Low density lipoprotein precipitation; Phospholipids; Apoprotein B; Ultracentrifugation compared; Friedewald formula (Mainard, F. (162) 141)

Cholesterol side-chain oxidation

Bile acid; Peroxisomes; Peroxisomal disorder; Zellweger syndrome (Wanders, R.J.A. (162) 295)

Cholestyramine

LDL-Apo B turnover; Familial hypercholesterolemia; Fenofibrate (Malmendier, C.L. (162) 221)

24-¹³C-labelled internal standard

Serum bile acid; Gas chromatography/mass spectrometry (Stellaard, F. (162) 45)

Competitive inhibitor binding

ACE inhibitor; Assay; Captopril (Grönhagen-Riska, C. (162) 53)

Con A Sepharose

Testosterone-estradiol-binding globulin; Solid-phase assay; Scatchard plot; Binding; Dihydrotestosterone (Lecureuil, N. (162) 277)

C-reactive protein

Proteinase inhibitor; Inter- α -trypsin inhibitor; Acid-stable proteinase inhibitor; Urinary proteinase inhibitor (Ødum, L. (162) 189)

Creatine kinase

Carboxypeptidase K; Creatine kinase conversion factor (Edwards, R.J. (162) 69)

Creatine kinase conversion factor

Carboxypeptidase K; Creatine kinase (Edwards, R.J. (162) 69)

Diagnostic test

Carrier detection; Duchenne muscular dystrophy; Review; Genetic (Gruemer, H.-D. (162) 1)

Dihydrotestosterone

Testosterone-estradiol-binding globulin; Solid-phase assay; Con A Sepharose; Scatchard plot; Binding (Lecureuil, N. (162) 277)

Dimethoxypropane artifact

Ethylene glycol; Isopropylbenzene; Capillary gas chromatography; Boronate (Smith, N.B. (162) 105)

Duchenne muscular dystrophy

Carrier detection; Review; Diagnostic test; Genetic (Gruemer, H.-D. (162) 1)

ELISA

Progesterone; Single extraction (Elder, P.A. (162) 199)

Enzyme immunoassay

Growth hormone; Urine (Hashida, S. (162) 229)

Enzyme induction

Pancreatic disease; D-Glucaric acid; Theophylline test (Sandle, L.N. (162) 245)

Enzyme-linked immunosorbent assay (ELISA)

Human pepsinogen I; Monoclonal antibody; Radioimmunoassay (RIA) (Huang, S.C. (162) 85)

Erythrocyte

Glycogen; Interference; Glycogen storage disease (Collins, W. (162) 207)

γ -Glutamyltransferase; Liver disease; Glutathione (Daniel, D.S. (162) 319)

Erythrocyte transketolase

Isoenzyme; Isoelectric focusing; Wernicke-Korsakoff syndrome (Kaufmann, A. (162) 215)

Ethylene glycol

Dimethoxypropane artifact; Isopropylbenzene; Capillary gas chromatography; Boronate (Smith, N.B. (162) 105)

Evaluation

Xanthine oxidase; Spectrophotometric assay; ABTS; Peroxidase; Reference value (Majkić-Singh, N. (162) 29)

Expired air

Lipoperoxidation; Alcane; Liver disease (Hotz, P. (162) 303)

Familial hypercholesterolemia

LDL-Apo B turnover; Fenofibrate; Cholestyramine (Malmendier, C.L. (162) 221)

Fasting bile acid

Serum bile acid; Postprandial bile acid (Mannes, G.A. (162) 147)

Fat malabsorption

Fat meal test; Triglyceride uptake test (Steen, G. (162) 291)

Fat meal test

Fat malabsorption; Triglyceride uptake test (Steen, G. (162) 291)

Feces

Bile acid; Healthy subject; Gas chromatography; Mass spectrometry (Setchell, K.D.R. (162) 257)

Fenofibrate

LDL-Apo B turnover; Familial hypercholesterolemia; Cholestyramine (Malmendier, C.L. (162) 221)

Flavocytochrome b₂

Lactate; Yeast biosensor (Racek, J. (162) 129)

FPLC

Porphobilinogen deaminase; Porphyria (De Rooij, F.W.M. (162) 61)

Friedewald formula

Low density lipoprotein precipitation; Cholesterol; Phospholipids; Apoprotein B; Ultracentrifugation compared (Mainard, F. (162) 141)

Gas chromatography

Feces; Bile acid; Healthy subject; Mass spectrometry (Setchell, K.D.R. (162) 257)

Gas chromatography/mass spectrometry

Serum bile acid; 24-¹³C-labelled internal standard (Stellaard, F. (162) 45)

Genetic

Carrier detection; Duchenne muscular dystrophy; Review; Diagnostic test (Gruemer, H.-D. (162) 1)

Glandular kallikrein

Radioimmunoassay; Immunoaffinity column; Pancreatitis (Nishimura, K. (162) 341)

D-Glucaric acid

Enzyme induction; Pancreatic disease; Theophylline test (Sandle, L.N. (162) 245)

 γ -Glutamyltransferase

Multiple form; Lectin; Affinity chromatography; Liver disease (Delanghe, J.R. (162) 311)

Liver disease; Erythrocyte; Glutathione (Daniel, D.S. (162) 319)

Glutathione

γ -Glutamyltransferase; Liver disease; Erythrocyte (Daniel, D.S. (162) 319)

Glutathione analysis

Recycling assay; Glutathione reductase; Inhibition by protein precipitant (Allen, K.G.D. (162) 237)

Glutathione reductase

Glutathione analysis; Recycling assay; Inhibition by protein precipitant (Allen, K.G.D. (162) 237)

Glycogen

Erythrocyte; Interference; Glycogen storage disease (Collins, W. (162) 207)

Glycogen storage disease

Glycogen; Erythrocyte; Interference (Collins, W. (162) 207)

Growth hormone

Urine; Enzyme immunoassay (Hashida, S. (162) 229)

Healthy subject

Feces; Bile acid; Gas chromatography; Mass spectrometry (Setchell, K.D.R. (162) 257)

Hemoglobin variants

High performance liquid chromatography; Human hemoglobin; Protein structure (Baudin, V. (162) 75)

High density lipoprotein-cholesterol hyperthyroidism

Apolipoprotein A; Hypothyroidism; Low density lipoprotein-cholesterol; Triglyceride (Friis, T. (162) 155)

High performance liquid chromatography

Human hemoglobin; Hemoglobin variants; Protein structure (Baudin, V. (162) 75)

HPLC

Serotonin; Radioimmunoassay; N-Acetylation (Gow, I.F. (162) 175)

Human hemoglobin

High performance liquid chromatography; Hemoglobin variants; Protein structure (Baudin, V. (162) 75)

Human pepsinogen I

Enzyme-linked immunosorbent assay (ELISA); Monoclonal antibody; Radioimmunoassay (RIA) (Huang, S.C. (162) 85)

Hypothyroidism

Apolipoprotein A; High density lipoprotein-cholesterol hyperthyroidism; Low density lipoprotein-cholesterol; Triglyceride (Friis, T. (162) 155)

Immune complex

Atypical LD isoenzyme; LD-IgG complex (Chappell, D.J. (162) 37)

Immunoaffinity column

Radioimmunoassay; Glandular kallikrein; Pancreatitis (Nishimura, K. (162) 341)

Inhibition by protein precipitant

Glutathione analysis; Recycling assay; Glutathione reductase (Allen, K.G.D. (162) 237)

Inter- α -trypsin inhibitor

Proteinase inhibitor; Acid-stable proteinase inhibitor; Urinary proteinase inhibitor; C-reactive protein (Ødum, L. (162) 189)

Interference

Glycogen; Erythrocyte; Glycogen storage disease (Collins, W. (162) 207)

Isoelectric focusing

Erythrocyte transketolase; Isoenzyme; Wernicke-Korsakoff syndrome (Kaufmann, A. (162) 215)

Isoenzyme

Erythrocyte transketolase; Isoelectric focusing; Wernicke-Korsakoff syndrome (Kaufmann, A. (162) 215)

Isopropylbenzene

Ethylene glycol; Dimethoxypropane artifact; Capillary gas chromatography; Boronate (Smith, N.B. (162) 105)

Isozyme

Alkaline phosphatase; Adipose tissue (Okochi, T. (162) 19)

Lactate

Yeast biosensor; Flavocytochrome *b*₂ (Racek, J. (162) 129)

LD-IgG complex

Atypical LD isoenzyme; Immune complex (Chappell, D.J. (162) 37)

LDL-Apo B turnover

Familial hypercholesterolemia; Fenofibrate; Cholestyramine (Malmendier, C.L. (162) 221)

Lectin

γ-Glutamyltransferase; Multiple form; Affinity chromatography; Liver disease (Delanghe, J.R. (162) 311)

Left ventricular failure

Plasma renin activity; Prenalterol (Wathen, C.G. (162) 97)

Lipoperoxidation

Alcane; Expired air; Liver disease (Hotz, P. (162) 303)

Liver disease

Lipoperoxidation; Alcane; Expired air (Hotz, P. (162) 303)

γ-Glutamyltransferase; Multiple form; Lectin; Affinity chromatography (Delanghe, J.R. (162) 311)

γ-Glutamyltransferase; Erythrocyte; Glutathione (Daniel, D.S. (162) 319)

Low density lipoprotein-cholesterol

Apolipoprotein A; High density lipoprotein-cholesterol hyperthyroidism; Hypothyroidism; Triglyceride (Friis, T. (162) 155)

Low density lipoprotein precipitation

Cholesterol; Phospholipids; Apoprotein B; Ultracentrifugation compared; Friedewald formula (Mainard, F. (162) 141)

Mass spectrometry

Feces; Bile acid; Healthy subject; Gas chromatography (Setchell, K.D.R. (162) 257)

Maternal serum

Prenatal diagnosis; Neural tube defect; Spina bifida; Neuron-specific-enolase; Screening (Sorensen, K. (162) 101)

Monoclonal antibody

Enzyme-linked immunosorbent assay (ELISA); Human pepsinogen I; Radioimmunoassay (RIA) (Huang, S.C. (162) 85)

Multiple form

γ-Glutamyltransferase; Lectin; Affinity chromatography; Liver disease (Delanghe, J.R. (162) 311)

Neural tube defect

Prenatal diagnosis; Spina bifida; Maternal serum; Neuron-specific-enolase; Screening (Sorensen, K. (162) 101)

Neuron-specific-enolase

Prenatal diagnosis; Neural tube defect; Spina bifida; Maternal serum; Screening (Sorensen, K. (162) 101)

Neutrophil elastase

Anti-elastase function (Morrison, H.M. (162) 165)

Pancreatic disease

Enzyme induction; D-Glucaric acid; Theophylline test (Sandle, L.N. (162) 245)

Pancreatitis

Radioimmunoassay; Glandular kallikrein; Immunoaffinity column (Nishimura, K. (162) 341)

Peroxidase

Xanthine oxidase; Spectrophotometric assay; ABTS; Evaluation; Reference value (Majkić-Singh, N. (162) 29)

Peroxisomal disorder

Bile acid; Cholesterol side-chain oxidation; Peroxisomes; Zellweger syndrome (Wanders, R.J.A. (162) 295)

Peroxisomes

Bile acid; Cholesterol side-chain oxidation; Peroxisomal disorder; Zellweger syndrome (Wanders, R.J.A. (162) 295)

Phospholipids

Low density lipoprotein precipitation; Cholesterol; Apoprotein B; Ultracentrifugation compared; Friedewald formula (Mainard, F. (162) 141)

Plasma renin activity

Prenalterol; Left ventricular failure (Wathen, C.G. (162) 97)

Porphobilinogen deaminase

FPLC; Porphyria (De Rooij, F.W.M. (162) 61)

Porphyria

Porphobilinogen deaminase; FPLC (De Rooij, F.W.M. (162) 61)

Postprandial bile acid

Serum bile acid; Fasting bile acid (Mannes, G.A. (162) 147)

Prenalterol

Plasma renin activity; Left ventricular failure (Wathen, C.G. (162) 97)

Prenatal diagnosis

Neural tube defect; Spina bifida; Maternal serum; Neuron-specific-enolase; Screening (Sorensen, K. (162) 101)

Progesterone

ELISA; Single extraction (Elder, P.A. (162) 199)

Proteinase inhibitor

Inter- α -trypsin inhibitor; Acid-stable proteinase inhibitor; Urinary proteinase inhibitor; C-reactive protein (Ødum, L. (162) 189)

Protein structure

High performance liquid chromatography; Human hemoglobin; Hemoglobin variants (Baudin, V. (162) 75)

Radioimmunoassay

Serotonin; HPLC; N-Acetylation (Gow, I.F. (162) 175)

Glandular kallikrein; Immunoaffinity column; Pancreatitis (Nishimura, K. (162) 341)

Radioimmunoassay (RIA)

Enzyme-linked immunosorbent assay (ELISA); Human pepsinogen I; Monoclonal antibody (Huang, S.C. (162) 85)

Recycling assay

Glutathione analysis; Glutathione reductase; Inhibition by protein precipitant (Allen, K.G.D. (162) 237)

Reference value

Xanthine oxidase; Spectrophotometric assay; ABTS; Peroxidase; Evaluation (Majkić-Singh, N. (162) 29)

Review

Carrier detection; Duchenne muscular dystrophy; Diagnostic test; Genetic (Gruemer, H.-D. (162) 1)

Scatchard plot

Testosterone-estradiol-binding globulin; Solid-phase assay; Con A Sepharose; Binding; Dihydrotestosterone (Lecureuil, N. (162) 277)

Screening

Prenatal diagnosis; Neural tube defect; Spina bifida; Maternal serum; Neuron-specific-enolase (Sorensen, K. (162) 101)

Serotonin

Radioimmunoassay; HPLC; N-Acetylation (Gow, I.F. (162) 175)

Serum bile acid

24- ^{13}C -labelled internal standard; Gas chromatography/mass spectrometry (Stellaard, F. (162) 45)

Fasting bile acid; Postprandial bile acid (Mannes, G.A. (162) 147)

Single extraction

ELISA; Progesterone (Elder, P.A. (162) 199)

Solid-phase assay

Testosterone-estradiol-binding globulin; Con A Sepharose; Scatchard plot; Binding; Dihydrotestosterone (Lecureuil, N. (162) 277)

Spectrophotometric assay

Xanthine oxidase; ABTS; Peroxidase; Evaluation; Reference value (Majkić-Singh, N. (162) 29)

Spina bifida

Prenatal diagnosis; Neural tube defect; Maternal serum; Neuron-specific-enolase; Screening (Sorensen, K. (162) 101)

Tamm-Horsfall protein

Uromucoid glycoprotein (Wiggins, R.C. (162) 329)

Testosterone-estradiol-binding globulin

Solid-phase assay; Con A Sepharose; Scatchard plot; Binding; Dihydrotestosterone (Lecureuil, N. (162) 277)

Theophylline test

Enzyme induction; Pancreatic disease; D-Glucaric acid (Sandle, L.N. (162) 245)

Triglyceride

Apolipoprotein A; High density lipoprotein-cholesterol hyperthyroidism; Hypothyroidism; Low density lipoprotein-cholesterol (Friis, T. (162) 155)

Triglyceride uptake test

Fat malabsorption; Fat meal test (Steen, G. (162) 291)

Ultracentrifugation compared

Low density lipoprotein precipitation; Cholesterol; Phospholipids; Apoprotein B; Friedewald formula (Mainard, F. (162) 141)

Urinary proteinase inhibitor

Proteinase inhibitor; Inter- α -trypsin inhibitor; Acid-stable proteinase inhibitor; C-reactive protein (Ødum, L. (162) 189)

Urine	Yeast biosensor
Growth hormone; Enzyme immunoassay (Hashida, S. (162) 229)	Lactate; Flavocytochrome b_2 (Racek, J. (162) 129)
Uromucoid glycoprotein	Zellweger syndrome
Tamm-Horsfall protein (Wiggins, R.C. (162) 329)	Bile acid; Cholesterol side-chain oxidation; Peroxisomes; Peroxisomal disorder (Wanders, R.J.A. (162) 295)
Wernicke-Korsakoff syndrome	
Erythrocyte transketolase; Isoenzyme; Isoelectric focusing (Kaufmann, A. (162) 215)	
Xanthine oxidase	
Spectrophotometric assay; ABTS; Peroxidase; Evaluation; Reference value (Majkić-Singh, N. (162) 29)	